


LED – obstruction light type LG 74 – 04 / 32 cd



Technical data

| | |
|------------------------------|---|
| Type | LG 74-04 / 32 cd |
| Lamp | high performance LED aviation red |
| Supply voltage | - 180-254V / AC, 50 / 60Hz - 90-132V / AC, 50 / 60Hz - 5-36V / DC - 36-72V / DC alarm relay and electronic ballast can be installed in external switch cabinet, power loss due to long cable run is regulated by electron- ic ballast |
| Power consumption | approx. 7 W |
| Luminous intensity effective | type B: >32 cd red, horizontal 360°, steady light |
| Average service life | > 100.000 hours |
| Over-voltage protection | integrated in obstruction light |
| Range of temperature | -40°C to +80°C |
| Housing | powder-coated aluminum, traffic white, stainless steel V4A available, colors according to RAL table |
| Optics | LED with optical system |
| Electrical connection | WAGO clamp up to 3 x 2,5 mm ² in UV- resistant plastic or aluminum housing |
| Degree of protection | IP 66 |
| Dimensions | 105 x 425 mm / version with flat iron fixture (with integrated alarm relay 105 x 445 mm) |
| Weight | approx. 1.5 kg |
| Mechanical stress | shock-proof, vibration-resistant |
| Specification | CE - certified, meets ICAO Annex 14 table 6-3. type B, approved by the German Federal Ministry of Transport |
| Design | single obstruction light |
| Qualitätsmerkmale | - integrated heating system to avoid icing - high-efficient protection of LED luminous element against ultravio- let light, direct sunlight and con- densation - well-proven system since 1994 |
| Accessories | - integrated alarm relay with po- tential-free changeover - wall or pipe mount |

The required supply voltage has to be stated when ordering.



**BUNDESMINISTERIUM FÜR VERKEHR,
BAU- UND WOHNUNGSWESEN
Dienstszitz Bonn**

Bundesministerium für Verkehr, Bau- und Wohnungswesen • Postfach 20 01 00 • 53170 Bonn

Fa. Hochspannungs-Lichttechnik

Willischzwaweg 48

03096 Burg/Spreewald

(02 28)

3 00 - (0) - 4811

Datum

5. August 2004

Robert-Schuman-Platz 1
53175 Bonn-Bad Godesberg

Geschäftszeichen (bitte bei Antwort angeben)

LS 11/62.10.07

ZertifikatCertificate

Niederleistungshindernisleuchte

Low intensity obstacle light type A

Typ: LG 74-04/LG 75

Typ: LG 74-04/LG 75

Hiermit wird bescheinigt, dass die oben bezeichneten Anlagenteile sowohl den Anforderungen und Empfehlungen der ICAO (Anhang 14 bzw. Aerodrome Design Manual) als auch den nationalen Vorschriften des Bundesministeriums für Verkehr, Bau- und Wohnungswesen entsprechen. Sie dürfen zur Ausrüstung von Flugplätzen und Luftfahrthindernissen verwendet werden.

This is to certify that the parts described above comply as with the Standards and recommendations of ICAO (Annex 14 resp. Aerodrome Design Manual) as with the national regulations issued by the Federal Ministry of Transport, Building and Housing. They may be used for installation on airports, airfields and aviation obstacles.

Das Bundesministerium für Verkehr,
Bau- und Wohnungswesen

On behalf of the

Im Auftrag



Federal Ministry of Transport,
Building and Housing

Dr. Kellner



Öffentliche Verkehrsmittel
Busse 610, 614, 618
Bahn: 66
Haltestelle:
Robert-Schuman-Platz



Besucherparkplätze und
Anlieferungen nur über
Heinrich-von-Stephan-Straße

Fernruf: (02 28) 3 00-0
Telex: 885 700 bmvd
Telefax: (02 28) 3 00-34 28
(02 28) 3 00-76 09

Überweisungen an
Kto-Nr. 3800 1060
Kto-Nr. 11900-505

Bundeskasse Bonn
Landeszentralbank Bonn
(BLZ 380 000 00)
PGiRoA Köln
(BLZ 370 100 50)